

L3 STRUCTURE UPLOADED

=> d 13

L3 HAS NO ANSWERS

L3 STR





Structure attributes must be viewed using STN Express query preparation.

=> sl3 ful

SL3 IS NOT A RECOGNIZED COMMAND

The previous command name entered was not recognized by the system. For a list of commands available to you in the current file, enter "HELP COMMANDS" at an arrow prompt (=>).

=> s 13 ful

FULL SEARCH INITIATED 14:56:29 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 25407 TO ITERATE

100.0% PROCESSED 25407 ITERATIONS

11 ANSWERS

SEARCH TIME: 00.00.01

L4 11 SEA SSS FUL L3

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE TOTAL
ENTRY SESSION
FULL ESTIMATED COST

SINCE FILE TOTAL
315.04
315.25

10/741326

FILE 'CAPLUS' ENTERED AT 14:56:35 ON 05 AUG 2004 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 5 Aug 2004 VOL 141 ISS 6 FILE LAST UPDATED: 3 Aug 2004 (20040803/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 14

L5 3 L4

=> d abs bib hitstr 1-3

- L5 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN
- AB The present invention relates to implantable surgical medical devices having coatings comprising one or more compds. that inhibit TNF- α converting enzyme (TACE), more particularly, stents having coatings comprising TACE inhibitors. A TACE inhibitor is effective in reducing restenosis.
- AN 2004:512993 CAPLUS
- DN 141:76809
- TI Anti-inflammatory coatings for implantable medical devices containing a TACE inhibitor
- IN Dodd, John H.
- PA USA
- SO U.S. Pat. Appl. Publ., 14 pp. CODEN: USXXCO
- DT Patent
- LA English
- FAN CNT 1

PAN.CNI I				
PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
				
PI US 2004120977	A1	20040624	US 2003-732570	20031210
PRAI US 2002-434007P	P	20021217		
US 2003-482273P	P	20030625		

- IT 461664-66-4 461664-67-5 461664-79-9
 - RL: DEV (Device component use); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
 - (anti-inflammatory coatings for implantable medical devices containing TACE inhibitor)
- RN 461664-66-4 CAPLUS
- CN 1-Oxaspiro[4.4]nonane-7-carboxamide, N-hydroxy-8-[[4-[[2-(1-methylethyl)-1H-benzimidazol-1-yl]methyl]benzoyl]amino]-, (5R,7S,8R)- (9CI) (CA INDEX

NAME)

Absolute stereochemistry.

RN 461664-67-5 CAPLUS

CN 1-0xaspiro[4.4]nonane-7-carboxamide, N-hydroxy-8-[[4-[[2-(trifluoromethyl)-1H-benzimidazol-1-yl]methyl]benzoyl]amino]-, (5R,7S,8R)- (9CI) (CA INDEX NAME)


RN 461664-79-9 CAPLUS

CN 1-Oxaspiro[4.4]nonane-7-carboxamide, 8-[[4-[[2-(1,1-difluoroethyl)-1H-benzimidazol-1-yl]methyl]benzoyl]amino]-N-hydroxy-, (5R,7S,8R)- (9CI) (CAINDEX NAME)

Absolute stereochemistry.

PAGE 1-A

PAGE 2-A



L5 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN

AB This invention relates to a method of treating inflammatory diseases in a mammal comprising administering to the mammal a therapeutically effective amount of a combination of: (i) at least one TACE inhibitor, (ii) one or more anti-inflammatory agents selected from the group consisting of: selective COX-2 inhibitors, interleukin-1 antagonists, dihydroorotate synthase inhibitors, p38 MAP kinase inhibitors, TNF- α inhibitors, TNF- α sequestration agents, and methotrexate. The invention also relates to compns. and kits containing the same.

AN 2003:950052 CAPLUS

DN 140:13040 Combined use of TACE inhibitors and COX2 inhibitors as anti-inflammatory TIagents IN Duan, Jingwu PΑ USA SO U.S. Pat. Appl. Publ., 20 pp. CODEN: USXXCO Patent DTEnglish LAFAN.CNT 1 APPLICATION NO. DATE PATENT NO. KIND DATE ----_____ _____ US 2003-453036 20030603 PΙ US 2003225054 A1 20031204 PRAI US 2002-385656P Р 20020603 MARPAT 140:13040 OS 461664-66-4 461664-67-5 461664-79-9 IT RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses) (combined use of TACE inhibitors and COX2 inhibitors as anti-inflammatory agents) RN 461664-66-4 CAPLUS 1-Oxaspiro[4.4]nonane-7-carboxamide, N-hydroxy-8-[[4-[[2-(1-methylethyl)-CN1H-benzimidazol-1-yl]methyl]benzoyl]amino]-, (5R,7S,8R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


RN 461664-67-5 CAPLUS
CN 1-Oxaspiro[4.4]nonane-7-carboxamide, N-hydroxy-8-[[4-[[2-(trifluoromethyl)-1H-benzimidazol-1-yl]methyl]benzoyl]amino]-, (5R,7S,8R)- (9CI) (CA INDEX NAME)

RN 461664-79-9 CAPLUS

CN 1-Oxaspiro[4.4]nonane-7-carboxamide, 8-[[4-[[2-(1,1-difluoroethyl)-1H-benzimidazol-1-yl]methyl]benzoyl]amino]-N-hydroxy-, (5R,7S,8R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

PAGE 1-A



ANSWER 3 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN L5 Novel spiro-cyclic β-amino acid derivs. C-B-NR1CO-Z-Ua-Xa-Ya-Za [C-B AΒ represents a spiro-cyclic ring system, where rings B and C are 3-13 membered carbocycles or heterocycles; ring B is bonded to NR1 via ACR2aCR2b-; A = alkanoyl, CO2H or ester, CH2CO2H, CONHOH, SH, CH2SH, etc.; R2a = H, alkyl, OH, alkoxy, an amino group, S(0)p (p = 0-2), etc.; R2b =H, alkyl; R1 = H, alkyl, Ph, PhCH2; Z is absent or is a carbocycle or heterocycle; Ua is absent or is O, NH, alkylimino, CO, CO2, O2C, CONH, S(0)p, etc.; Xa is absent or is alkylene, alkenylene, or alkynylene; Ya is absent or is O, NH, alkylimino, S(O)p, CO; Za = H, carbocycle, or heterocycle] or their pharmaceutically-acceptable salts were prepared as matrix metalloproteinases (MMP), $TNF-\alpha$ converting enzyme (TACE), and/or aggrecanase inhibitors. Thus, (7S,8R)-N-hydroxy-8-[[4-[(2-methyl-4quinolinyl) methoxy] benzoyl] amino] -1,4-dioxaspiro[4.4] nonane-7-carboxamide was prepared by a multistep synthesis starting from (1S,2R)-1-Me cis-1,2,3,6-tetrahydrophthalate. The latter underwent sequential esterification with benzyl alc., oxidative ring opening with KMnO4, and recyclization with Ac2O/NaOAc to yield intermediate benzyl Me (1S, 2R) -4-oxo-1, 2-cyclopentanedicarboxylate. 2002:736225 CAPLUS AN137:262960 DN Preparation of spiro-cyclic β -amino acid derivatives as inhibitors of TI matrix metalloproteinases and TNF- α converting enzyme (TACE) Ott, Gregory R.; Chen, Xiaotao; Duan, Jingwu; Voss, Matthew E. IN Bristol-Myers Squibb Company, USA PΑ SO PCT Int. Appl., 187 pp. CODEN: PIXXD2 DTPatent T.A English FAN.CNT 1 PATENT NO. KIND DATE APPLICATION NO. DATE ______ _ _ _ _ -----A2 20020926 WO 2002-US7652 20020312 PΙ WO 2002074738 A3 20030403 WO 2002074738 W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR,

BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

20030508

20040413

US 2002-96804

20020312

US 2003087882

US 6720329

A1

B2

20020312 EP 1373199 A2 20040102 EP 2002-728458 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR US 2003-741326 20031218 US 2004132693 **A1** 20040708 PRAI US 2001-275898P Ρ 20010315 US 2002-96804 **A3** 20020312 WO 2002-US7652 20020312 MARPAT 137:262960 os 461664-65-3P 461664-66-4P 461664-67-5P IT 461664-68-6P 461664-70-0P 461664-71-1P 461664-72-2P 461664-75-5P 461664-76-6P 461664-77-7P 461664-79-9P RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (preparation of spiro-cyclic β -amino acid derivs. as inhibitors of matrix metalloproteinases and TNF- α converting enzyme (TACE)) 461664-65-3 CAPLUS RN1-Oxaspiro[4.4] nonane-7-carboxamide, N-hydroxy-8-[[4-[(2-methyl-1H-CN benzimidazol-1-yl)methyl]benzoyl]amino]-, (5R,7S,8R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 461664-66-4 CAPLUS

CN 1-Oxaspiro[4.4]nonane-7-carboxamide, N-hydroxy-8-[[4-[[2-(1-methylethyl)-1H-benzimidazol-1-yl]methyl]benzoyl]amino]-, (5R,7S,8R)- (9CI) (CA INDEX NAME)

RN 461664-67-5 CAPLUS

CN 1-Oxaspiro[4.4]nonane-7-carboxamide, N-hydroxy-8-[[4-[[2-(trifluoromethyl)-1H-benzimidazol-1-yl]methyl]benzoyl]amino]-, (5R,7S,8R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 461664-68-6 CAPLUS

CN 1-Oxaspiro[4.4]nonane-7-carboxamide, 8-[[4-[[2-(1,1-dimethylethyl)-1H-benzimidazol-1-yl]methyl]benzoyl]amino]-N-hydroxy-, (5R,7S,8R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 461664-70-0 CAPLUS
CN 1-Oxaspiro[4.4]nonane-7-carboxamide, 8-[[4-[[2-(difluoromethyl)-1H-benzimidazol-1-yl]methyl]benzoyl]amino]-N-hydroxy-, (5R,7S,8R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 461664-71-1 CAPLUS

CN 1-Oxaspiro[4.4]nonane-7-carboxamide, 8-[[4-[(2-cyclopropyl-1H-benzimidazol-1-yl)methyl]benzoyl]amino]-N-hydroxy-, (5R,7S,8R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 461664-72-2 CAPLUS

CN 1-Oxaspiro[4.4]nonane-7-carboxamide, 8-[[4-[(2-cyclobutyl-1H-benzimidazol-1-yl)methyl]benzoyl]amino]-N-hydroxy-, (5R,7S,8R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 461664-75-5 CAPLUS

CN 1-Oxaspiro[4.4]nonane-7-carboxamide, N-hydroxy-8-[[4-[[2-(1-methylcyclopropyl)-1H-benzimidazol-1-yl]methyl]benzoyl]amino]-, (5R,7S,8R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 461664-76-6 CAPLUS

CN 1-Oxaspiro[4.4]nonane-7-carboxamide, 8-[[4-[[2-(fluoromethyl)-1H-


benzimidazol-1-yl]methyl]benzoyl]amino]-N-hydroxy-, (5R,7S,8R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 461664-77-7 CAPLUS

CN 1-Oxaspiro[4.4]nonane-7-carboxamide, 8-[[4-[[2-(1-fluoro-1-methylethyl)-1H-benzimidazol-1-yl]methyl]benzoyl]amino]-N-hydroxy-, (5R,7S,8R)- (9CI) (CA INDEX NAME)

PAGE 2-A



RN 461664-79-9 CAPLUS

CN 1-Oxaspiro[4.4]nonane-7-carboxamide, 8-[[4-[[2-(1,1-difluoroethyl)-1H-benzimidazol-1-yl]methyl]benzoyl]amino]-N-hydroxy-, (5R,7S,8R)- (9CI) (CA INDEX NAME)

PAGE 2-A

10/741326

Uploading C:\Stnexp4 corrupted\QUERIES\10741326.str

N

$$12$$
 14
 15
 23
 27
 30
 11
 13
 16
 11
 13
 16
 11
 18
 17
 10
 18
 17
 10
 18
 17

chain nodes : 10 11 12 ring nodes : 1 2 3 4 5 6 7 8 9 13 14 15 16 17 18 22 23 24 25 26 29 30 chain bonds : 10-11 11-12 11-13 ring bonds : 1-2 1-5 2-3 3-4 3-6 3-9 4-5 6-7 7-8 8-9 13-14 13-18 14-15 15-16 16-17 17-18 22-23 22-27 23-24 24-25 25-26 26-27 26-28 27-30 28-29 exact/norm bonds : 6-7 7-8 8-9 10-11 11-12 11-13 26-28 1-2 1-5 2-3 3-4 3-6 3-9 4-5 27-30 28-29 29-30 normalized bonds : 13-14 13-18 14-15 15-16 16-17 17-18 22-23 22-27 23-24 24-25 25-26 26-27

G1:C,O,S,N

G2:0,S

G3:C,N

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:CLASS 11:CLASS 12:CLASS 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom 21:CLASS 22:Atom 23:Atom 23:Atom 25:Atom 26:Atom 27:Atom 28:Atom 29:Atom 30:Atom

L6 STRUCTURE UPLOADED

=> d 16 L6 HAS NO ANSWERS

10/741326

L6

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT * Structure attributes must be viewed using STN Express query preparation.

=> s 16 ful FULL SEARCH INITIATED 15:01:30 FILE 'REGISTRY' FULL SCREEN SEARCH COMPLETED - 78213 TO ITERATE

100.0% PROCESSED 78213 ITERATIONS SEARCH TIME: 00.00.01

STR

0 ANSWERS

0 SEA SSS FUL L6

=> file registry COST IN U.S. DOLLARS SINCE FILE TOTAL SESSION ENTRY 156.26 490.14 FULL ESTIMATED COST SINCE FILE TOTAL DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) ENTRY SESSION CA SUBSCRIBER PRICE 0.00 -2.21

FILE 'REGISTRY' ENTERED AT 15:02:39 ON 05 AUG 2004 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 3 AUG 2004 HIGHEST RN 721883-12-1 3 AUG 2004 HIGHEST RN 721883-12-1 DICTIONARY FILE UPDATES:

TSCA INFORMATION NOW CURRENT THROUGH MAY 21, 2004

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at: http://www.cas.org/ONLINE/DBSS/registryss.html

Uploading C:\Stnexp4 corrupted\QUERIES\10741326.str

```
chain nodes :
10 11 12
ring nodes :
1 2 3 4 5 6 7 8 9 13 14 15 16 17 18 22 23 24 25 26 27 28 29
30
chain bonds :
10-11 11-12 11-13
ring bonds :
1-2 1-5 2-3 3-4 3-6 3-9 4-5 6-7 7-8 8-9 13-14 13-18 14-15 15-16 16-17
17-18 22-23 22-27 23-24 24-25 25-26 26-27 26-28 27-30 28-29 29-30
exact/norm bonds :
1-2 1-5 2-3 3-4 3-6 3-9 4-5
                              6-7 7-8 8-9 10-11 11-12 11-13 26-28 27-30
28-29 29-30
normalized bonds :
13-14 13-18 14-15 15-16 16-17 17-18 22-23 22-27 23-24 24-25 25-26 26-27
```

G1:C,O,S,N

G2:0,S

G3:C,N

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:CLASS 11:CLASS 12:CLASS 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom 21:CLASS 22:Atom 23:Atom 23:Atom 25:Atom 26:Atom 27:Atom 28:Atom 29:Atom 30:Atom

L8 STRUCTURE UPLOADED

=> d 18 L8 HAS NO ANSWERS L8 STR

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

Structure attributes must be viewed using STN Express query preparation.

=> s 18

SAMPLE SEARCH INITIATED 15:03:04 FILE 'REGISTRY' SAMPLE SCREEN SEARCH COMPLETED - 25084 TO ITERATE

4.0% PROCESSED 1000 ITERATIONS INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)

0 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **INCOMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS:

492212 TO 511148

PROJECTED ANSWERS:

0 TO

L9

0 SEA SSS SAM L8

=> file registry

COST IN U.S. DOLLARS SINCE FILE TOTAL ENTRY SESSION

FULL ESTIMATED COST 0.84 490.98

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) SINCE FILE TOTAL ENTRY SESSION

CA SUBSCRIBER PRICE 0.00 -2.21

FILE 'REGISTRY' ENTERED AT 15:03:53 ON 05 AUG 2004 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 3 AUG 2004 HIGHEST RN 721883-12-1 DICTIONARY FILE UPDATES: 3 AUG 2004 HIGHEST RN 721883-12-1

TSCA INFORMATION NOW CURRENT THROUGH MAY 21, 2004

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at: http://www.cas.org/ONLINE/DBSS/registryss.html

=>

Uploading C:\Stnexp4 corrupted\QUERIES\10741326.str

chain nodes :
10 11 12
ring nodes :
1 2 3 4 5 6 7 8 9 13 14 15 16 17 18 22 23 24 25 26 27 28 29
30
chain bonds :
10-11 11-12 11-13
ring bonds :
1-2 1-5 2-3 3-4 3-6 3-9 4-5 6-7 7-8 8-9 13-14 13-18 14-15 15-16 16-17
17-18 22-23 22-27 23-24 24-25 25-26 26-27 26-28 27-30 28-29 29-30
exact/norm bonds :
1-2 1-5 2-3 3-4 3-6 3-9 4-5 6-7 7-8 8-9 10-11 11-12 11-13 26-28 27-30
28-29 29-30
normalized bonds :
13-14 13-18 14-15 15-16 16-17 17-18 22-23 22-27 23-24 24-25 25-26 26-27

G1:C,O,S,N

G2:0,S

G3:C,N

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:CLASS 11:CLASS 12:CLASS 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom 21:CLASS 22:Atom 23:Atom

24:Atom 25:Atom 26:Atom 27:Atom 28:Atom 29:Atom 30:Atom

L10 STRUCTURE UPLOADED

=> d 110 L10 HAS NO ANSWERS L10 STR

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

Structure attributes must be viewed using STN Express query preparation.

=> s l10 ful

FULL SEARCH INITIATED 15:04:19 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 149211 TO ITERATE

100.0% PROCESSED 149211 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01

L11

0 SEA SSS FUL L10

=> file registry COST IN U.S. DOLLARS SINCE FILE TOTAL ENTRY SESSION FULL ESTIMATED COST 646.82 155.84 DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) SINCE FILE TOTAL ENTRY SESSION CA SUBSCRIBER PRICE 0.00 -2.21

FILE 'REGISTRY' ENTERED AT 15:04:53 ON 05 AUG 2004 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 3 AUG 2004 HIGHEST RN 721883-12-1 DICTIONARY FILE UPDATES: 3 AUG 2004 HIGHEST RN 721883-12-1

TSCA INFORMATION NOW CURRENT THROUGH MAY 21, 2004

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at: http://www.cas.org/ONLINE/DBSS/registryss.html

Uploading C:\Stnexp4 corrupted\QUERIES\10741326.str

N

$$12$$
 14
 15
 23
 27
 30
 10
 18
 17
 10
 18
 17
 10
 18
 17

chain nodes :
10 11 12
ring nodes :
1 2 3 4 5 6 7 8 9 13 14 15 16 17 18 22 23 24 25 26 27 28 29
30
chain bonds :
10-11 11-12 11-13
ring bonds :
1-2 1-5 2-3 3-4 3-6 3-9 4-5 6-7 7-8 8-9 13-14 13-18 14-15 15-16 16-17
17-18 22-23 22-27 23-24 24-25 25-26 26-27 26-28 27-30 28-29 29-30
exact/norm bonds :
1-2 1-5 2-3 3-4 3-6 3-9 4-5 6-7 7-8 8-9 10-11 11-12 11-13 26-28 27-30
28-29 29-30
normalized bonds :
13-14 13-18 14-15 15-16 16-17 17-18 22-23 22-27 23-24 24-25 25-26 26-27

G1:C,O,S,N

G2:0,S

G3:C,N

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:CLASS 11:CLASS 12:CLASS 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom 21:CLASS 22:Atom 23:Atom 23:Atom 27:Atom 28:Atom 29:Atom 20:Atom 20:

L12 STRUCTURE UPLOADED

=> d 112 L12 HAS NO ANSWERS L12 STR

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

Structure attributes must be viewed using STN Express query preparation.

=> s 112 ful

FULL SEARCH INITIATED 15:05:18 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 152757 TO ITERATE

100.0% PROCESSED 152757 ITERATIONS

6 ANSWERS

SEARCH TIME: 00.00.02

L13 6 SEA SSS FUL L12

=> file caplus

SINCE FILE TOTAL COST IN U.S. DOLLARS ENTRY SESSION 155.42 802.24 FULL ESTIMATED COST SINCE FILE TOTAL DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) ENTRY SESSION 0.00 -2.21 CA SUBSCRIBER PRICE

FILE 'CAPLUS' ENTERED AT 15:05:25 ON 05 AUG 2004 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 5 Aug 2004 VOL 141 ISS 6 FILE LAST UPDATED: 3 Aug 2004 (20040803/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 113

L14 1 L13

=> d abs bib hitstr

L14 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2004 ACS on STN
AB Novel spiro-cyclic β-amino acid derivs. C-B-NR1CO-Z-Ua-Xa-Ya-Za [C-B represents a spiro-cyclic ring system, where rings B and C are 3-13 membered carbocycles or heterocycles; ring B is bonded to NR1 via ACR2aCR2b-; A = alkanoyl, CO2H or ester, CH2CO2H, CONHOH, SH, CH2SH, etc.; R2a = H, alkyl, OH, alkoxy, an amino group, S(O)p (p = 0-2), etc.; R2b = H, alkyl; R1 = H, alkyl, Ph, PhCH2; Z is absent or is a carbocycle or heterocycle; Ua is absent or is O, NH, alkylimino, CO, CO2, O2C, CONH,

```
S(O)p, etc.; Xa is absent or is alkylene, alkenylene, or alkynylene; Ya is
     absent or is O, NH, alkylimino, S(O)p, CO; Za = H, carbocycle, or
     heterocycle] or their pharmaceutically-acceptable salts were prepared as
     matrix metalloproteinases (MMP), TNF-\alpha converting enzyme (TACE), and/or aggrecanase inhibitors. Thus, (7S,8R)-N-hydroxy-8-[[4-[(2-methyl-4-matrix-metalloproteinases]])
     quinolinyl)methoxy]benzoyl]amino]-1,4-dioxaspiro[4.4]nonane-7-carboxamide
     was prepared by a multistep synthesis starting from (1S,2R)-1-Me
     cis-1,2,3,6-tetrahydrophthalate. The latter underwent sequential
     esterification with benzyl alc., oxidative ring opening with KMnO4, and
     recyclization with Ac2O/NaOAc to yield intermediate benzyl Me
     (1S, 2R) -4-oxo-1, 2-cyclopentanedicarboxylate.
     2002:736225 CAPLUS
AN
DN
     137:262960
     Preparation of spiro-cyclic \beta-amino acid derivatives as inhibitors of
ΤI
     matrix metalloproteinases and TNF-\alpha converting enzyme (TACE)
     Ott, Gregory R.; Chen, Xiaotao; Duan, Jingwu; Voss, Matthew E.
IN
     Bristol-Myers Squibb Company, USA
PA
     PCT Int. Appl., 187 pp.
SO
     CODEN: PIXXD2
DТ
     Patent
LA
     English
FAN.CNT 1
     PATENT NO.
                       KIND DATE
                                           APPLICATION NO.
                                                                    DATE
                         ____
                                            _____
ΡI
     WO 2002074738
                         A2 20020926
                                            WO 2002-US7652
                                                                    20020312
                         A3 20030403
     WO 2002074738
         W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,
             CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
             GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
             LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH,
             PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ,
             UA, UG, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
         RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH,
             CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR,
             BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
                                 20030508
                                           US 2002-96804
                                                                     20020312
     US 2003087882
                          A1
                                 20040413
     US 6720329
                          B2
     EP 1373199
                                 20040102
                                            EP 2002-728458
                                                                     20020312
                          A2
             AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
             IE, SI, LT, LV, FI, RO, MK, CY, AL, TR
     US 2004132693
                         A1
                                20040708
                                            US 2003-741326
                                                                    20031218
PRAI US 2001-275898P
                          P
                                 20010315
     US 2002-96804
                         A3
                                20020312
     WO 2002-US7652
                                20020312
os
     MARPAT 137:262960
IT
     461664-69-7P 461664-74-4P 461664-78-8P
     461664-80-2P 461664-81-3P 461664-82-4P
     RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU
     (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES
     (Uses)
        (preparation of spiro-cyclic β-amino acid derivs. as inhibitors of
        matrix metalloproteinases and TNF-\alpha converting enzyme (TACE))
RN
     461664-69-7 CAPLUS
     1-Oxaspiro[4.4]nonane-7-carboxamide, N-hydroxy-8-[[4-[(2-methyl-1H-indol-3-
CN
     yl)methyl]benzoyl]amino]-, (5R,7S,8R)- (9CI) (CA INDEX NAME)
```

RN 461664-74-4 CAPLUS

CN 1-Oxaspiro[4.4]nonane-7-carboxamide, N-hydroxy-8-[[4-[(2-methyl-1H-indol-1-yl)methyl]benzoyl]amino]-, (5R,7S,8R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 461664-78-8 CAPLUS

CN 1-Oxaspiro[4.4]nonane-7-carboxamide, N-hydroxy-8-[[4-(1H-indol-3-ylmethyl)benzoyl]amino]-, (5R,7S,8R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 461664-80-2 CAPLUS

CN 1-Oxaspiro[4.4]nonane-7-carboxamide, 8-[[4-[(2,3-dimethyl-1H-indol-1-yl)methyl]benzoyl]amino]-N-hydroxy-, (5R,7S,8R)- (9CI) (CA INDEX NAME)

RN 461664-81-3 CAPLUS
CN 1-Oxaspiro[4.4]nonane-7-carboxamide, 8-[[4-[(2-ethyl-1H-indol-1-yl)methyl]benzoyl]amino]-N-hydroxy-, (5R,7S,8R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 461664-82-4 CAPLUS
CN 1-Oxaspiro[4.4]nonane-7-carboxamide, N-hydroxy-8-[[4-[[2-(trifluoromethyl)-1H-indol-1-yl]methyl]benzoyl]amino]-, (5R,7S,8R)- (9CI) (CA INDEX NAME)